

## elenco di lamiere stirate standard

lunghezza della maglia x larghezza della maglia in mm	larghezza della barra in mm	spessore del nastro in mm	transparenz frontal in %	materiale
3 x 1.7	0.5	0.5	42	acciaio e allumi- nio grezzo, altri su richiesta
4 x 2	0.7	0.5	30	
6 x 3.4	1	1	45	
10 x 5	1	0.5	60	
10 x 5.5	1.5	1	45	
16 x 3	1	1	34	
16 x 8	2	1.5	34	
20 x 8	1.5	0.5	63	
20 x 8	2	1	50	
20 x 10	1.5	0.5	70	
20 x 10	1.5	1.5	70	
28 x 6	2	1	34	
28 x 6	2.5	2	17	
28 x 10	2	2	60	
28 x 14	5	1.5	29	
28 x 14	5	3	29	
42 x 14	2.5	1.5	64	
42 x 14	3	2	57	
44 x 13.4	5	2	26	
44 x 15	2.5	1.5	64	
44 x 15	3	3	60	
62 x 20	7.5	1.5	25	
62 x 20	7.5	3	25	
62 x 26	4.5	3	65	
76 x 35	11	1.5	37	
76 x 35	11	3	37	
85 x 31	3	3	87	
90 x 28	13	1.5	20	
90 x 28	13	3	20	
100 x 34	10	1.5	41	
100 x 34	10	3	41	
115 x 40	6	2	70	
115 x 40	6	4	70	
115 x46	6	3	74	